

EfficientNetB0 technique of CNN for disease and health identification of soybean plant

Nitesh Rastogi^{1*}, Priya R. Swaminarayan²

Rastogi N, Swaminarayan PR. EfficientNetB0 technique of CNN for disease and health identification of soybean plant. *AGBIR*.2024;40(5): 1-3.

Recently, there has been a significant accumulation of data focused on predicting and preventing soybean infections. The methodologies and development stages of these approaches differ, but they share a common goal: To improve crop and product management. This study evaluates

various models for disease detection and pod counting in soybean plants. Two specific models, CNN and EfficientDet B0, have been developed to identify healthy and diseased leaves and accurately count pods. Tensor flow, a versatile tool for numerical computation, was utilized in this research. It proves particularly useful in controlled farm environments, where it can quickly detect early signs of disease on plant leaves.

Key Words: Artificial intelligence; Convolutional Neural Network (CNN); Deep learning; Crop disease; Leaf; Soybean pod

INTRODUCTION

Agriculture is a key source of livelihood. Agriculture provides employment opportunities for village people on a large scale in developing countries like India. India's agriculture is composed of many crops and according to a survey nearly 70% of the population depends on agriculture [1]. Most Indian farmers are adopting manual cultivation due to lagging technical knowledge. Farmers are unaware of what kind of crops that grows well on their land. Plants suffering from different leaf diseases can significantly impact agriculture production, leading to reduced quality and quantity of crops and financial loss. Healthy leaves are crucial for the rapid growth of plants and the enhancement of crop yield. It is difficult for farmers and researchers to identify diseases affecting plant leaves. Presently, farmers resort to spraying pesticides on plants, which can have direct or indirect negative effects on human health and the economy. Rapid detection techniques for plant diseases need to be implemented to address this issue.

Thus detection of plant diseases plays a significant key role within the arena of agriculture. Indian agriculture consists of many crops like cotton, wheat, and soybean. Indian farmers conjointly grow sugarcane, oilseeds, potatoes and non-food things like occasional tea, cotton, rubber. Of these crops support the strength of leaves and roots (Figure 1) [2].



Figure 1) Infected leaf

Different factors contribute to specific diseases in plant leaves, causing harm to crops and ultimately affecting the economy of the country. Detecting plant diseases early is essential to minimize major losses. Farmers encounter difficulties in recognizing these diseases, frequently lacking the required knowledge for preventive actions. The medical field is crucial in identifying and controlling plant diseases, providing necessary solutions for sustainable agriculture and economic security (Figure 2).




Figure 2) Proposed CNN general architecture

In today's context, image processing methods have emerged as a suitable, cost-effective, and dependable approach for disease detection using plant leaf images.



Figure 3) Enhanced image of leaf

¹Department of Engineering and Technology, Parul University, Gujarat, 391760, India

²Department of IT and Computer Science, Parul University, Gujarat, 391760, India

Correspondence: Nitesh Rastogi, Department of Engineering and Technology, Parul University, Gujarat, 391760, India; E-mail: rastogi.nitesh@gmail.com

Received: 02-Sep-2024, Manuscript No. AGBIR-24-147134; **Editor assigned:** 05-Sep-2024, PreQC No. AGBIR-24-147134 (PQ); **Reviewed:** 19-Sep-2024, QC No. AGBIR-24-147134; **Revised:** 09-Oct-2024, Manuscript No. AGBIR-24-147134 (R); **Published:** 16-Oct-2024, DOI: 10.37532/0970-1907.24.40(5):1-3



This open-access article is distributed under the terms of the Creative Commons Attribution Non-Commercial License (CC BY-NC) (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits reuse, distribution and reproduction of the article, provided that the original work is properly cited and the reuse is restricted to noncommercial purposes. For commercial reuse, contact reprints@pulsus.com

Farmers look for economical and effective solutions. Seventy percent of people in the mostly agrarian country of India work in agriculture. Maintaining the caliber and volume of agricultural outputs depends on choosing the right pesticides and treating plant illnesses. Examining discernible patterns on plants is strongly related to the research of plant diseases. Proper monitoring and diagnosis of plant health and illnesses are essential for agricultural production to be effective. In the past, this work required a lot of labor and manual examination by knowledgeable field workers. Such a strategy required a large investment of time and money. Since agriculture continues to be the foundation of the Indian economy, it is critical to encourage sustainable agricultural practices by developing more streamlined and effective disease management techniques.

MATERIALS AND METHODS

Using the right methods to distinguish between healthy and sick leaves can help reduce crop loss and boost output. This section includes the many machine-learning methods now in use for diagnosing plant diseases.

Shape and texture-based identification

In Mokhtar U, et al., the authors recognized diseases utilizing tomato-leaf pictures [3,4]. They utilized distinctive mathematical and histogram-based provisions from segmented infected portions and applied a SVM classifier with various portions for characterization. Kaur S, et al., recognized three diverse soybean infections utilizing distinctive shading and surface provisions [5]. In Babu MP, et al., utilized a feed-forward neural organization and back propagation to distinguish plant leaves and their diseases [6]. Chouhan SS, et al., utilized a bacterial-scrounging streamlining based spiral basis function neural organization (BRBFNN) for the distinguishing proof of leaves and contagious diseases in plants [7]. In their methodologies, they utilized a district developing calculation to separate elements from a leaf based on seed focuses having similar attributes. The bacterial-scrounging streamlining procedure is utilized to accelerate organize and further develop arrangement exactness.

Deep-learning-based identification

Mohanty et al., utilized AlexNet and GoogleNet CNN structures in the distinguishing proof of 26 distinctive plant diseases [8]. Ferentinos et al., utilized distinctive CNN structures to recognize 58 diverse plant infections, accomplishing significant degrees of arrangement precision [9]. In their methodology, they additionally tried the CNN design with ongoing pictures. Sladojevic et al., planned a DL design to recognize 13 distinctive plant infections [10]. They utilized the Caffe DL system to perform CNN preparing. Kamilaris et al., comprehensively investigated distinctive DL draws near and their downsides in the field of agribusiness [11]. In Geetharamani G, et al., the creators proposed a nine-layer CNN model to distinguish plant diseases [12]. For experimentation purposes, they utilized the plant village dataset and information expansion methods to expand the information size and investigated execution. The author's detailed preferable exactness over that of a customary AI based methodology.

DISCUSSION

Pre-trained AlexNet and GoogleNet were utilized by Jadhav, S.B et al., to identify 3 distinct soybean diseases from solid leaf pictures with adjusted hyper parameters, for example, minibatch size, max age, and inclination learning rate [13]. Six unique pre-prepared network (AlexNet, VGG16, VGG19, GoogleNet, ResNet101 and DenseNet201) utilized by KR Aravind et al., to distinguish 10 unique infections in plants, and they accomplished the most elevated exactness pace of 97.3% utilizing GoogleNet [14]. A pre-trained VGG16 as the component extractor and multiclass SVM were utilized by Rangarajan AK, et al., to arrange diverse eggplant disease [15]. Distinctive shading spaces (RGB, HSV, YCbCr, and grayscale) were utilized to assess execution; utilizing RGB pictures, the most noteworthy characterization precision of 99.4% was accomplished. In Arora J, et al., the creators grouped maize leaf disease from solid leaves utilizing profound woodland strategies [16]. In their methodology, they fluctuated the deep woodland hyper parameters in regards to number of trees, timberlands, and

grains, what's more, contrasted their outcomes and those of customary AI models, for example, SVM, RF, LR, and KNN. Lee et al., looked at changed profound learning structures in the ID of plant infections [17]. To work on the precision of the model, Ghazi et al., utilized an exchange learning-put together methodology with respect to pre-trained deep learning models [18].

In Li Y, et al., utilized a shallow CNN with SVM and RF classifiers to group three unique kinds of plant infections [19]. In their work, they primarily analyzed their outcomes with those of deep learning strategies and showed that arrangement utilizing SVM and RF classifiers with removed components from the shallow CNN beat pre-trained deep learning models. A self-consideration convolutional neural organization (SACNN) was utilized by Zeng W, et al., to recognize a few yield diseases [20]. To inspect the power of the model, the creators added diverse commotion levels in the test-picture set. Oyewola et al., recognized 5 diverse cassava-plant diseases utilizing plain convolutional neural organization (PCNN) and Deep Residual Neural Network (DRNN), and found that DRNN outflanked PCNN by an edge of 9.25% [21]. Ramacharan et al., utilized an exchange learning approach in the distinguishing proof of three infections and two nuisance harm types in cassava plants. The creators then, at that point, broadened their work on the ID of cassava plant infections utilizing a cell phone based CNN model and accomplished precision of 80.6%.

A NASNet-based profound CNN design was utilized by Mohanty et al., to distinguish leaf infections in plants, and a precision pace of 93.82% was accomplished. Rice-and maize-leaf infections were recognized by Chen et al., utilizing the INC-VGGN strategy [22]. In their methodology, they supplanted the last convolutional layer of VGG19 with two initiation layers and one worldwide normal pooling layer. A shallow CNN (SCNN) was utilized by Yang Li et al., in the ID of maize, apple, and grape illnesses. In the first place, they separated CNN highlights and ordered them utilizing SVM and RF classifiers. Sethy et al., utilized distinctive deep learning models to remove includes and arrange them utilizing a SVM classifier [23]. Utilizing ResNet50 with SVM, they accomplished the best precision. A VGG16, ResNet, and DenseNet model was utilized by Yafeng Zhao et al., to recognize plant illnesses from the plant village dataset [24,25]. To expand the dataset size, they utilized a generative adversarial network (DoubleGAN), which further developed the presentation results. A summary of the related work on plant-diseases dependent on leaf.

CONCLUSION

Convolutional Neural Networks (CNNs) have advanced significantly in image categorization and object recognition. In the past, learning algorithms were applied to feature spaces containing hand-crafted features such as SURF, HoG, and SIFT, among others, in order to classify images. These techniques relied on well stated predetermined features to work. Nevertheless, feature engineering is a laborious and intricate procedure that must be repeated each time the dataset or problem undergoes a substantial alteration. This constraint is apparent in conventional computer vision-based plant disease detection efforts, which mostly rely on labor-intensive processes such as picture augmentation and hand-crafted features. Using infected plant leaves, a variety of techniques have been developed for the identification and categorization of plant diseases. Unfortunately, there haven't been many effective and profitable commercial disease identification methods. In order to identify plant illnesses in soybean leaves and pods, we used a variety of Deep Learning (DL) models in our study, such as convolutional neural networks and EfficientNetB0. We obtained data from ICAR (Indian Institute-Soybean Research) for the purpose of training and testing the model. This dataset comprised a standard set of 200 photos showing soybean pods plus 1951 images showing healthy and sick soybean leaves from 14 different species. The training and testing portions of the dataset were split 60-40, and the EfficientNetB0 model produced an astounding accuracy rate of 99.56%. Additionally, when working with colored images, our training procedure was effective, requiring 565 and 545 seconds per epoch for CNN and EfficientNetB0, respectively. Our applied model performs better in terms of prediction than other deep learning techniques, providing higher accuracy and lower loss. Plant disease identification is now much more accurate and efficient thanks to developments in deep learning models, which also present a promising future

for agricultural applications. Plant disease diagnosis could be revolutionized with the application of CNNs and models such as EfficientNetB0. This could result in more timely and effective interventions, which could ultimately improve crop output and food production.

REFERENCES

1. Ramcharan A, Baranowski K, McCloskey P, et al. Deep learning for image-based cassava disease detection. *Front Plant Sci.* 2017;8:1852.
2. Dalwai A. Report of the committee on doubling farmers' income, Structural reforms and governance framework" Strengthening the institutions, infrastructure and markets that govern agricultural growth. Department of agriculture cooperation and farmers' welfare, Ministry of Agriculture and Farmers' Welfare. 2018;111.
3. Mokhtar U, Ali MA, Hassani AE, et al. Identifying two of tomatoes leaf viruses using support vector machine. In *Information systems design and intelligent applications: Proceedings of Second International Conference INDIA.* 2015(1):771-782.
4. Jadhav SB. Convolutional neural networks for leaf image-based plant disease classification. *IAES Int J Artificial Intelligence.* 2019;8(4):328.
5. Kaur S, Pandey S, Goel S. Semi-automatic leaf disease detection and classification system for soybean culture. *IET Image Process.* 2018;12(6):1038-1048.
6. Babu MP, Rao BS. Leaves recognition using back propagation neural network-advice for pest and disease control on crops. *IndiaKisan. Net: Expert Advisory System.* 2007:607-626.
7. Chouhan SS, Kaul A, Singh UP, et al. Bacterial foraging optimization Based Radial Basis Function Neural Network (BRBFNN) for identification and classification of plant leaf diseases: An automatic approach towards plant pathology. *Ieee Access.* 2018;6:8852-8863.
8. Mohanty SP, Hughes DP, Salathe M. Using deep learning for image-based plant disease detection. *Front Plant Sci.* 2016;7:1419.
9. Ferentinos KP. Deep learning models for plant disease detection and diagnosis. *Comput Electron Agric.* 2018;145:311-318.
10. Sladojevic S, Arsenovic M, Anderla A, et al. Deep neural networks based recognition of plant diseases by leaf image classification. *Comput Intell Neurosci.* 2016(1):3289801.
11. Kamilaris A, Prenafeta-Boldu FX. Deep learning in agriculture: A survey. *Comput Electron Agric.* 2018;147:70-90.
12. Geetharamani G, Pandian A. Identification of plant leaf diseases using a nine-layer deep convolutional neural network. *Comput Elect Eng.* 2019;76:323-338.
13. Jadhav SB, Udipi VR, Patil SB. Identification of plant diseases using convolutional neural networks. *Int J Inf Technol* 2021;13(6): 2461-2470.
14. Rangarajan Aravind K, Raja P. Automated disease classification in (Selected) agricultural crops using transfer learning. *Automatika: Casopis za automatiku, mjerenje, elektroniku, računarstvo i komunikacije.* 2020;61(2):260-272.
15. Rangarajan AK, Purushothaman R. Disease classification in eggplant using pre-trained VGG16 and MSVM. *Sci Rep.* 2020;10 (1):1-11.
16. Arora J, Agrawal U. Classification of Maize leaf diseases from healthy leaves using Deep Forest. *J Artif Intell Sys.* 2020;2(1):14-26.
17. Lee SH, Goeau H, Bonnet P, et al. New perspectives on plant disease characterization based on deep learning. *Comput Electron Agric.* 2020;170:105220.
18. Ghazi MM, Yanikoglu B, Aptoula E. Plant identification using deep neural networks via optimization of transfer learning parameters. *Neurocomput.* 2017;235:228-235.
19. Li Y, Nie J, Chao X. Do we really need deep CNN for plant diseases identification?. *Comput Electron Agric.* 2020;178:105803.
20. Zeng W, Li M. Crop leaf disease recognition based on self-attention convolutional neural network. *Comput Electron Agric.* 2020;172:105341.
21. Oyewola DO, Dada EG, Misra S, et al. Detecting cassava mosaic disease using a deep residual convolutional neural network with distinct block processing. *PeerJ Comput Sci.* 2021;7:e352.
22. Chen J, Chen J, Zhang D, et al. Using deep transfer learning for image-based plant disease identification. *Comput Electron Agric.* 2020;173:105393.
23. Sethy PK, Barpanda NK, Rath AK, et al. Deep feature based rice leaf disease identification using support vector machine. *Comput Electron Agric.* 2020;175:105527.
24. Zhao Y, Chen Z, Gao X, et al. Plant disease detection using generated leaves based on DoubleGAN. *IEEE/ACM Trans Comput Biol Bioinform.* 2021;19(3):1817-1826.
25. Adedoja A, Owolawi PA, Mapayi T. Deep learning based on nasnet for plant disease recognition using leave images. In *2019 international conference on advances in big data, computing and data communication systems (icABCD).* 2019:1-5.